

Frequencies

[DataSet0]

Statistics				
		KEMAMPUAN MEMBACA	PENGUASAAN KOSAKATA	KETERAMPILA N MENULIS
N	Valid	50	50	50
	Missing	0	0	0
Mean		60,82	65,30	76,56
Median		60,00	67,00	77,00
Mode		57	67	77
Std. Deviation		6,853	6,112	2,426
Skewness		,179	-,032	,308
Std. Error of Skewness		,337	,337	,337
Kurtosis		-,428	-,027	1,069
Std. Error of Kurtosis		,662	,662	,662
Range		30	27	13
Minimum		47	50	71
Maximum		77	77	84

Frequency Table

KEMAMPUAN MEMBACA					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	47	1	2,0	2,0	2,0
	50	4	8,0	8,0	10,0
	53	4	8,0	8,0	18,0
	57	12	24,0	24,0	42,0
	60	6	12,0	12,0	54,0
	63	10	20,0	20,0	74,0
	67	5	10,0	10,0	84,0
	70	5	10,0	10,0	94,0
	73	2	4,0	4,0	98,0
	77	1	2,0	2,0	100,0
Total		50	100,0	100,0	


PENGUASAAN KOSAKATA


		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	50	1	2,0	2,0	2,0
	53	1	2,0	2,0	4,0
	57	4	8,0	8,0	12,0
	60	7	14,0	14,0	26,0
	63	11	22,0	22,0	48,0
	67	12	24,0	24,0	72,0
	70	7	14,0	14,0	86,0
	73	3	6,0	6,0	92,0
	77	4	8,0	8,0	100,0
	Total	50	100,0	100,0	


KETERAMPILAN MENULIS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	71	1	2,0	2,0	2,0
	72	2	4,0	4,0	6,0
	73	1	2,0	2,0	8,0
	74	4	8,0	8,0	16,0
	75	10	20,0	20,0	36,0
	76	4	8,0	8,0	44,0
	77	13	26,0	26,0	70,0
	78	6	12,0	12,0	82,0
	79	5	10,0	10,0	92,0
	80	1	2,0	2,0	94,0
	81	2	4,0	4,0	98,0
	84	1	2,0	2,0	100,0
	Total	50	100,0	100,0	

Histogram







Regression

Descriptive Statistics

	Mean	Std. Deviation	N
KETERAMPILAN MENULIS	76,56	2,426	50
KEMAMPUAN MEMBACA	60,82	6,853	50
PENGUASAAN KOSAKATA	65,30	6,112	50

Correlations

		KETERAMPILAN MENULIS	KEMAMPUAN MEMBACA	PENGUASAAN KOSAKATA
Pearson Correlation	KETERAMPILAN MENULIS	1,000	,248	,390
	KEMAMPUAN MEMBACA	,248	1,000	,601
	PENGUASAAN KOSAKATA	,390	,601	1,000
Sig. (1-tailed)	KETERAMPILAN MENULIS	.	,041	,003
	KEMAMPUAN MEMBACA	,041	.	,000
	PENGUASAAN KOSAKATA	,003	,000	.
N	KETERAMPILAN MENULIS	50	50	50
	KEMAMPUAN MEMBACA	50	50	50
	PENGUASAAN KOSAKATA	50	50	50

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	PENGUASAAN KOSAKATA, KEMAMPUAN MEMBACA ^b		Enter

a. Dependent Variable: KETERAMPILAN MENULIS

b. All requested variables entered.

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	,391 ^a	,153	,117	2,280	,153	4,235	2	47	,020

a. Predictors: (Constant), PENGUASAAN KOSAKATA, KEMAMPUAN MEMBACA

b. Dependent Variable: KETERAMPILAN MENULIS

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	44,021	2	22,011	4,235	,020 ^b
	Residual	244,299	47	5,198		
	Total	288,320	49			

a. Dependent Variable: KETERAMPILAN MENULIS

b. Predictors: (Constant), PENGUASAAN KOSAKATA, KEMAMPUAN MEMBACA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Correlations		
		B	Std. Error	Beta			Zero-order	Partial	Part
1	(Constant)	66,316	3,635		18,243	,000			
	KEMAMPUAN MEMBACA	,008	,059	,021	,126	,900	,248	,018	,017
	PENGUASAAN KOSAKATA	,150	,067	,378	2,249	,029	,390	,312	,302

a. Dependent Variable: KETERAMPILAN MENULIS

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	74,19	78,44	76,56	,948	50
Residual	-5,232	7,139	,000	2,233	50
Std. Predicted Value	-2,505	1,978	,000	1,000	50
Std. Residual	-2,295	3,131	,000	,979	50

a. Dependent Variable: KETERAMPILAN MENULIS

Charts


Histogram


Dependent Variable: KETERAMPILAN MENULIS



Normal P-P Plot of Regression Standardized Residual

Dependent Variable: KETERAMPILAN MENULIS





NPar Tests

One-Sample Kolmogorov-Smirnov Test

		KEMAMPUAN MEMBACA	PENGUASAAN KOSAKATA	KETERAMPILAN MENULIS
N		50	50	50
Normal Parameters ^{a,b}	Mean	60,82	65,30	76,56
	Std. Deviation	6,853	6,112	2,426
Most Extreme Differences	Absolute	,131	,130	,132
	Positive	,131	,127	,128
	Negative	-,109	-,130	-,132
Test Statistic		,131	,130	,132
Asymp. Sig. (2-tailed)		,031 ^c	,035 ^c	,029 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		KEMAMPUAN MEMBACA	PENGUASAAN KOSAKATA	KETERAMPILAN MENULIS	Unstandardiz ed Residual
N		50	50	50	50
Normal	Mean	60,82	65,30	76,56	,0000000
Parameters ^{a,b}	Std. Deviation	6,853	6,112	2,426	2,23286514
Most Extreme	Absolute	,131	,130	,132	,141
Differences	Positive	,131	,127	,128	,084
	Negative	-,109	-,130	-,132	-,141
Test Statistic		,131	,130	,132	,141
Asymp. Sig. (2-tailed)		,031 ^c	,035 ^c	,029 ^c	,015 ^c

a. Test distribution is Normal.

b. Calculated from data.

c. Lilliefors Significance Correction.

Means

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
KETERAMPILAN MENULIS *	50	100,0%	0	0,0%	50	100,0%
KEMAMPUAN MEMBACA						
KETERAMPILAN MENULIS *	50	100,0%	0	0,0%	50	100,0%
PENGUASAAN KOSAKATA						

KETERAMPILAN MENULIS * KEMAMPUAN MEMBACA

Report

KETERAMPILAN MENULIS

KEMAMPUAN MEMBACA	Mean	N	Std. Deviation
47	74,00	1	.
50	74,50	4	,577
53	75,00	4	,000
57	77,00	12	2,045
60	76,83	6	,983
63	76,30	10	3,433
67	79,00	5	2,915
70	77,60	5	,894
73	75,50	2	3,536
77	74,00	1	.
Total	76,56	50	2,426

ANOVA Table

	Sum of Squares	df	Mean Square	F	Sig.
KETERAMPILAN MENULIS * KEMAMPUAN MEMBACA Between Groups	80,687	9	8,965	1,727	,115
Linearity	17,737	1	17,737	3,417	,072
Deviation from Linearity	62,949	8	7,869	1,516	,182
Within Groups	207,633	40	5,191		
Total	288,320	49			

Measures of Association

	R	R Squared	Eta	Eta Squared
KETERAMPILAN MENULIS * KEMAMPUAN MEMBACA	,248	,062	,529	,280

KETERAMPILAN MENULIS * PENGUASAAN KOSAKATA

Report

KETERAMPILAN MENULIS

PENGUASAAN KOSAKATA	Mean	N	Std. Deviation
50	75,00	1	.
53	75,00	1	.
57	75,00	4	,816
60	76,43	7	1,397
63	75,45	11	2,806
67	77,00	12	2,558
70	77,71	7	1,254
73	76,33	3	2,887
77	79,00	4	3,367
Total	76,56	50	2,426

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
KETERAMPILAN MENULIS * PENGUASAAN KOSAKATA	Between Groups	(Combined)	63,783	8	7,973	1,456	,203
		Linearity	43,938	1	43,938	8,023	,007
		Deviation from Linearity	19,845	7	2,835	,518	,816
	Within Groups		224,537	41	5,477		
	Total		288,320	49			

Measures of Association

	R	R Squared	Eta	Eta Squared
KETERAMPILAN MENULIS * PENGUASAAN KOSAKATA	,390	,152	,470	,221

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	PENGUASAAN KOSAKATA, KEMAMPUAN MEMBACA ^b	.	Enter

a. Dependent Variable: KETERAMPILAN MENULIS

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	,391 ^a	,153	,117	2,280

a. Predictors: (Constant), PENGUASAAN KOSAKATA, KEMAMPUAN MEMBACA

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	44,021	2	22,011	4,235	,020 ^b
	Residual	244,299	47	5,198		
	Total	288,320	49			

a. Dependent Variable: KETERAMPILAN MENULIS

b. Predictors: (Constant), PENGUASAAN KOSAKATA, KEMAMPUAN MEMBACA

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	66,316	3,635		18,243	,000
	KEMAMPUAN MEMBACA	,008	,059	,021	,126	,900
	PENGUASAAN KOSAKATA	,150	,067	,378	2,249	,029

a. Dependent Variable: KETERAMPILAN MENULIS

